

姐之幫忙得以順利完成，謹表謝忱。

### 參考文獻

1. Blackshaw K.T. 1978. "Notes and Observations of birds in northern Taiwan" Quart. J. of the Taiwan Museum 31 ; 384, 297-316.
2. Clive V. & K. Phillipps. 1977. "A colour guide to Hong Kong birds," J.R. Lee. Government printer. 122 p.
3. McClure E.H. 1974. "Migration & Survival of the birds of Asia." U.S. Army component SEATO Medical Research Laboratory Bangkok Thailand. 476 p.
4. Severinghaus S.R & K.T. Blackshaw 1976. "新台灣鳥類指南" 美亞出版社 222 p.
5. 小林桂助、張英彥 1977. "台灣の鳥類相 (Avifauna of Taiwan)"
6. 呂光洋 1979. "五股蘆洲沼澤區鳥類之食物探討(-)", 野鳥 1(1): 16-20.
7. 陳炳煌、顏重威, 1973. "台灣森林鳥類之生態調查年度報告(六十一年六月至六十二年五月)" 東海大學環境科學研究中心出版 37p.
8. 陳炳煌、顏重威, 1974. "台灣森林鳥類之生態調查年度報告(六十二年七月至六十三年六月)" 東海大學環境科學研究中心出版 42p.
9. 陳炳煌、顏重威, 1975. "台灣森林鳥類之生態調查年度報告(六十三年七月至六十四年六月)" 東海大學環境科學研究中心出版 79p.
10. 顏重威, 1979. "台灣鳥類新目錄", 東海大學環境科學研究中心出版 34p.

## The Avian Fauna of Wu-ku and Lu-chou Swamp

Kuang Yang Lue, Hang Ye Tsai

### Abstract

Wu-ku and Lu-chou swamp is a newly formed aquatic environment. Due to the abundance of food and various types of habitats, the avian fauna in that area is fantastic. From 1976 to 1979, total 104 species of birds were recorded from that area, including twelve orders and thirty one families. Among these, Passeriformes was the most abundant one, 33 species and Charadriiformes was the second, 32 species. According to the status of residence, winter residents were the most common ones, 34 species, followed by permanent residents 33 species, and winter visitors, 19 species. In this avian list, *Acridethes tritis* and *Psittacula krameri* were new to the bird list of Taiwan. Several rare species were discussed.